

# Strapdown Analytics - Second Edition

## Contents For Parts 1 And 2

### Part 1

---

<b>Foreword</b>	<b>i</b>
<b>About The Author</b>	<b>ii</b>
<b>Preface</b>	<b>iii</b>
<b>Acknowledgments</b>	<b>vi</b>
<b>Contents For Parts 1 And 2</b>	<b>ix</b>
<b>Chapter 1 INTRODUCTION</b>	<b>1-1</b>
<b>Chapter 2 TERMINOLOGY</b>	<b>2-1</b>
2.0 OVERVIEW	2-1
2.1 MATHEMATICAL NOTATION	2-2
2.2 COORDINATE FRAME DEFINITIONS	2-5
2.3 PARAMETER DEFINITIONS	2-6
<b>Chapter 3 VECTOR, ATTITUDE AND COORDINATE     FRAME FUNDAMENTALS</b>	<b>3-1</b>
3.0 OVERVIEW	3-1
3.1 VECTORS AND COORDINATE FRAME TRANSFORMATIONS	3-1
3.1.1 Vector Product Operators And Transformation Characteristics	3-6

x CONTENTS

3.2	ATTITUDE PARAMETERS	3-15
3.2.1	Direction Cosines	3-15
3.2.1.1	Direction Cosine Matrix From Transformed Vector Components	3-16
3.2.2	Rotation Vector	3-21
3.2.2.1	Direction Cosine Matrix In Terms Of Rotation Vector	3-25
3.2.2.2	Rotation Vector In Terms Of Direction Cosines	3-27
3.2.3	Euler Angles	3-31
3.2.3.1	Direction Cosine Matrix In Terms Of Euler Angle Parameters	3-33
3.2.3.2	Euler Angles In Terms Of Direction Cosines	3-34
3.2.3.3	Method Of Least Work For Treating Euler Rotation Operations	3-35
3.2.4	Attitude Reference Quaternions And Quaternion Coordinate Frame Transformations	3-38
3.2.4.1	Quaternion Operations For Attitude Reference And Vector Transformations	3-44
3.2.4.2	Direction Cosine Matrix In Terms Of Attitude Quaternion	3-45
3.2.4.3	Attitude Quaternion In Terms Of Direction Cosines	3-46
3.2.4.4	Attitude Quaternion In Terms Of Rotation Vector	3-48
3.2.4.5	Rotation Vector In Terms Of Attitude Quaternion	3-48
3.3	ATTITUDE PARAMETER RATE EQUATIONS	3-49
3.3.1	General Coriolis Relationship Between Vectors In Rotating Coordinate Frames	3-49
3.3.2	Direction Cosine Matrix Rate Equation	3-52
3.3.3	Euler Angle Rate Equations	3-55
3.3.3.1	Frame B Rotation Rates In Terms Of Euler Rates And Frame A Rates	3-56
3.3.3.2	Euler Angle Rates In Terms Of Frame B And Frame A Rates	3-57
3.3.3.3	Method Of Least Work For Euler Rate Equation Derivation	3-57

3.3.4	Attitude Quaternion Rate Equation	3-59
3.3.5	Rotation Vector Rate Equation	3-64
3.4	VECTOR RATES OF CHANGE IN ROTATING COORDINATES	3-66
3.5	ATTITUDE AND VECTOR ERROR CHARACTERISTICS	3-67
3.5.1	Direction Cosine Matrix Generalized Error Characteristics	3-67
3.5.2	Direction Cosine Matrix Misalignment Error Characteristics	3-76
3.5.3	Direction Cosine Matrix Misalignment Error As A Function Of Euler Angle Errors	3-86
3.5.4	Vector Error Characteristics	3-94

## **Chapter 4 CONTINUOUS FORM STRAPDOWN INERTIAL NAVIGATION EQUATIONS**

4-1

4.0	OVERVIEW	4-1
4.1	ATTITUDE RATE EQUATIONS	4-3
4.1.1	Angular Rate Of Local Level Frame L	4-5
4.1.2	Euler Angle Outputs	4-8
4.2	ACCELERATION TRANSFORMATION	4-10
4.3	VELOCITY RATE EQUATION	4-11
4.3.1	Velocity Outputs	4-14
4.4	POSITION DETERMINATION	4-16
4.4.1	Typical Position Rate Equations	4-16
4.4.1.1	Position Direction Cosine Matrix (Frame N To E) Rate Equations	4-16
4.4.1.2	Altitude Rate Equation	4-19
4.4.1.2.1	Vertical Channel Control	4-20
4.4.2	Position Parameter Equivalencies	4-27
4.4.2.1	Latitude/Longitude From Position (N To E) Direction Cosine Matrix	4-27
4.4.2.2	Position Vector In Selected Earth Fixed Frame From Latitude, Longitude, Altitude	4-30

**xii** CONTENTS

4.4.2.3	Latitude, Longitude, Altitude From Position Vector In Arbitrary Earth Fixed Coordinate Frame	4-33
4.4.3	Latitude/Longitude Calculated By Direct Integration	4-35
4.5	LOCAL LEVEL COORDINATE FRAME N OPTIONS	4-38
4.6	INITIALIZATION	4-40
4.7	STRAPDOWN INERTIAL NAVIGATION EQUATION SUMMARY	4-42
<b>Chapter 5</b>	<b>EARTH RELATED NAVIGATION PARAMETERS</b>	<b>5-1</b>
5.0	OVERVIEW	5-1
5.1	EARTH SHAPE MODEL	5-1
5.2	ELLIPSOIDAL EARTH REFERENCED NAVIGATION PARAMETERS	5-4
5.2.1	Magnitudes Of R And Rs	5-6
5.2.2	Polar Coordinate Angle Parameters	5-7
5.2.3	Latitude Angle Parameters	5-8
5.2.4	Radii Of Curvature	5-9
5.3	TRANSPORT RATE	5-18
5.4	GRAVITY MODEL	5-23
5.4.1	Plumb-Bob Gravity	5-25
5.5	SURFACE ALTITUDE RATE TERM ANALYSIS	5-29
5.6	EARTH RELATED NAVIGATION PARAMETER SUMMARY	5-31
<b>Chapter 6</b>	<b>QUASI-STATIONARY INITIALIZATION</b>	<b>6-1</b>
6.0	OVERVIEW	6-1
6.1	ATTITUDE (FRAME B TO FRAME L) INITIALIZATION	6-1
6.1.1	Coarse Leveling	6-2
6.1.2	Fine Alignment	6-6
6.1.3	Removal Of Residual Tilt Effects At Fine Alignment Completion	6-9

6.2	NAVIGATION FRAME INITIALIZATION (FRAME N TO FRAME E)	6-14
6.2.1	Initialization Of N Frame By Wander Angle Setting In The Frame N To E Matrix	6-14
6.2.2	Initialization Of N Frame By Direct B To L Frame Matrix Modification	6-16
6.3	VELOCITY INITIALIZATION	6-18
6.4	ALTITUDE INITIALIZATION	6-19

## **Chapter 7 STRAPDOWN INERTIAL NAVIGATION DIGITAL INTEGRATION ALGORITHMS** **7-1**

7.0	OVERVIEW	7-1
7.1	ATTITUDE UPDATE ALGORITHMS	7-5
7.1.1	Attitude Direction Cosine Matrix (B To L) Update Algorithms	7-5
7.1.1.1	Body (B) Frame Rotation Update	7-6
7.1.1.1.1	Integrated Rate And Coning Computation Algorithms	7-10
7.1.1.2	Local Level (L) Frame Rotation Update	7-15
7.1.1.2.1	Integrated Rate Algorithm	7-17
7.1.1.3	Attitude Direction Cosine Matrix (B To L) Normalization And Orthogonalization Corrections	7-18
7.1.2	Attitude Quaternion (B To L) Update Algorithms	7-24
7.1.2.1	Body (B) Frame Update	7-25
7.1.2.2	Local Level (L) Frame Rotation Update	7-26
7.1.2.3	Attitude Quaternion (B To L) Normalization Correction	7-28
7.1.2.4	Quaternion To Direction Cosine Matrix Conversion	7-29
7.2	VELOCITY UPDATE ALGORITHMS	7-29
7.2.1	Gravity/Coriolis Velocity Increment Algorithm	7-32

**xiv** CONTENTS

- 7.2.2 Integrated Transformed Specific Force Acceleration  
Increment Algorithm 7-33
  - 7.2.2.1 Correction For L Frame Rotation During Acceleration  
Transformation 7-35
  - 7.2.2.2 Body Frame Integrated Specific Force Acceleration  
Increment 7-37
    - 7.2.2.2.1 Exact Velocity Rotation Compensation  
Algorithm 7-44
    - 7.2.2.2.2 Integrated Rate, Acceleration And Sculling  
Algorithm Forms 7-47
- 7.3 POSITION UPDATE ALGORITHMS 7-54
  - 7.3.1 Position Updating In General 7-55
  - 7.3.2 Typical Position Updating Algorithm 7-58
  - 7.3.3 High Resolution Position Updating Algorithms 7-59
    - 7.3.3.1 Exact Position Rotation Compensation Algorithm 7-64
    - 7.3.3.2 Computer Algorithms For Scrolling And  
Other Integral Terms 7-69
- 7.4 ALGORITHM AND EXECUTION RATE SELECTION 7-77
  - 7.4.1 Assessment Of Position Integration Algorithm Folding  
Effect On Initial Alignment Heading Error 7-84
- 7.5 STRAPDOWN INERTIAL NAVIGATION SYSTEM  
ALGORITHM SUMMARY 7-88

**Chapter 8 NAVIGATION SYSTEM COMPONENT  
COMPENSATION ALGORITHMS**

**8-1**

- 8.0 OVERVIEW 8-1
- 8.1 INERTIAL SENSOR COMPENSATION ALGORITHMS 8-2
  - 8.1.1 Inertial Sensor Error Characteristics  
And Compensation Formulas 8-2
    - 8.1.1.1 Angular Rate Sensor Error Characteristics  
And Compensation Formulas 8-2
      - 8.1.1.1.1 Sensor And System Level Compensation Coefficient  
Evaluation For The Angular Rate Sensors 8-4

- 8.1.1.2 Accelerometer Error Characteristics  
And Compensation Formulas 8-10
  - 8.1.1.2.1 Sensor And System Level Compensation Coefficient  
Evaluation For The Accelerometers 8-13
  - 8.1.1.3 Dealing With Scale Factor Non-Linearities 8-16
- 8.1.2 Inertial Sensor Integrated Output Compensation Algorithms 8-23
  - 8.1.2.1 Angular Rate Sensor Integrated Output  
Compensation Algorithms 8-24
  - 8.1.2.2 Accelerometer Integrated Output  
Compensation Algorithms 8-26
- 8.1.3 Inertial Sensor Quantization Compensation Algorithms 8-29
  - 8.1.3.1 Pulse Count Residual Compensation 8-29
  - 8.1.3.2 Turn-Around Dead-Band Compensation 8-31
  - 8.1.3.3 Pulse Quantization Compensation Algorithm Forms 8-35
- 8.1.4 Accelerometer Size Effect And Anisoinertia  
Compensation Algorithms 8-37
  - 8.1.4.1 Accelerometer Size Effect Compensation Algorithm 8-38
    - 8.1.4.1.1  $\delta v_{\text{SizeC}_m}$  Size Effect Algorithm 8-44
      - 8.1.4.1.1.1  $\delta v'_{\text{SizeC}_m}$  Size Effect Term  
Algorithm 8-46
      - 8.1.4.1.1.2  $\Delta \delta v_{\text{SizeC}_m}$  Size Effect Correction  
Algorithm 8-50
    - 8.1.4.1.2  $\delta v_{\text{Scul-SizeC}_m}$  Sculling Size Effect Algorithm 8-52
    - 8.1.4.1.3  $\delta v_{\text{Rot/Scul-SizeC}_m}$  Size Effect Algorithm 8-58
    - 8.1.4.1.4 Sensor Compensation Applied  
To Size Effect Algorithm Terms 8-61
    - 8.1.4.1.5 Size Effect Algorithms Under  
Benign Environments 8-64
  - 8.1.4.2 Pendulous Accelerometer Anisoinertia  
Compensation Algorithm 8-66

**xvi** CONTENTS

8.2	INERTIAL SENSOR COMPENSATION APPLIED TO NAVIGATION ALGORITHMS	8-67
8.2.1	Inertial Sensor Compensation For Attitude Updating	8-67
8.2.1.1	Coning Increment Compensation Algorithm	8-68
8.2.2	Inertial Sensor Compensation For Velocity Updating	8-73
8.2.2.1	Sculling Increment Compensation Algorithm	8-75
8.2.2.2	Combined Velocity Rotation Compensation And Sculling Increment Compensation Algorithm	8-88
8.2.3	Inertial Sensor Compensation For Position Updating	8-93
8.2.3.1	Scrolling Increment And Double Integration Term Compensation Algorithms	8-95
8.3	SENSOR ASSEMBLY ALIGNMENT COMPENSATION	8-99
8.4	STRAPDOWN INERTIAL SENSOR ASSEMBLY COMPENSATION ALGORITHM SUMMARY	8-101

**Chapter 9 SENSOR ASSEMBLY JITTER COMPENSATION 9-1**

9.0	OVERVIEW	9-1
9.1	ANALYTICAL DESCRIPTION OF JITTER	9-1
9.2	JITTER RATE/ACCELERATION MEASUREMENT	9-8
9.3	JITTER FILTER INPUTS	9-9
9.4	JITTER REMOVAL	9-10
9.5	NAVIGATION OUTPUT PARAMETERS	9-12

**Chapter 10 VIBRATION EFFECTS ANALYSIS 10-1**

10.0	OVERVIEW	10-1
10.1	RESPONSE TO DISCRETE SINUSOIDAL SENSOR VIBRATION INPUTS	10-1
10.1.1	Attitude Motion Response Under Angular Vibration	10-2
10.1.1.1	Attitude Motion Characteristics	10-2



10.1.1.2	Attitude Algorithm Response	10-7
10.1.1.2.1	Exact Attitude Algorithm Response	10-9
10.1.1.2.2	INS Attitude Algorithm Response And Error	10-15
10.1.2	Velocity Response Under Combined Angular And Linear Vibration	10-23
10.1.2.1	Velocity Motion Characteristics	10-25
10.1.2.2	Velocity Algorithm Response	10-30
10.1.2.2.1	Exact Velocity Algorithm Response	10-32
10.1.2.2.2	INS Velocity Algorithm Response And Error	10-37
10.1.3	Position Response Under Linear Vibration	10-45
10.1.3.1	Position Motion Characteristics	10-46
10.1.3.2	Position Algorithm Response	10-48
10.1.3.2.1	Exact Position Algorithm Response	10-49
10.1.3.2.2	INS Position Algorithm Response	10-50
10.1.3.2.3	Folding Effects In The Position Algorithms	10-58
10.1.3.2.4	INS Position Algorithm Error Response	10-66
10.1.4	Sensor Error Effects	10-67
10.1.4.1	Individual Sensor Vibration Rectification	10-67
10.1.4.2	Vibration Rectification From Sensor Dynamic Response In Strapdown Computation Algorithms	10-70
10.1.5	Summary Of Response To Sinusoidal Sensor Vibration Input	10-72
10.2	REVIEW OF LINEAR DYNAMIC FREQUENCY RESPONSE ANALYTICS	10-74
10.2.1	Linear System Response To Sinusoidal Inputs	10-74
10.2.2	Linear System Response To Random Inputs	10-82
10.3	RESPONSE TO SINUSOIDAL SYSTEM VIBRATION INPUT	10-90
10.4	RESPONSE TO RANDOM SYSTEM VIBRATION INPUT	10-99
10.4.1	Attitude/Velocity Response To Random Vibration Input	10-101
10.4.2	Position Algorithm Error Response To Random System Vibration Input	10-107

**xviii** CONTENTS

10.5	SYSTEM DYNAMIC RESPONSE ANALYSIS MODEL	10-117
10.5.1	Dynamic Model Response To Linear System Forcing Function	10-118
10.5.2	Dynamic Model Response To Rotary System Forcing Function	10-127
10.6	VIBRATION EFFECTS ANALYSIS SIMULATION PROGRAM	10-132
10.6.1	Simulation Program For Attitude/Velocity/Position Vibration Response Analysis	10-132
10.6.2	Development Of The $\delta R_{SF/Algo}(t)$ Sinusoidal Input Response For Worst Case Simulation Analysis	10-146
10.6.3	Development Of The $\delta v_{SF/Scul/SnsDyn_z}$ Sinusoidal And Random Input Response For Worst Case Simulation Analysis	10-151

**Chapter 11 STRAPDOWN ALGORITHM VALIDATION** **11-1**

11.0	OVERVIEW	11-1
11.1	SPECIALIZED VALIDATION SIMULATIONS	11-1
11.2	GENERAL STRAPDOWN ALGORITHM VALIDATION SIMULATORS	11-6
11.2.1	Spin-Cone Simulator	11-12
11.2.1.1	Analytical Model	11-12
11.2.1.2	Simulated Strapdown Angular Rate Sensor Outputs	11-15
11.2.1.3	Attitude Direction Cosine And Euler Angle Outputs	11-17
11.2.1.4	Strapdown Attitude Algorithm Error Evaluation	11-18
11.2.2	Spin-Accel Simulator	11-19
11.2.2.1	Analytical Model	11-19
11.2.2.2	Simulated Strapdown Inertial Sensor Outputs	11-25
11.2.2.3	Attitude Reference Frame Rotation Rate Output	11-26
11.2.2.4	Strapdown Algorithm Error Evaluation	11-26
11.2.3	Spin-Rock-Size Simulator	11-27
11.2.3.1	Analytical Model	11-27
11.2.3.2	Simulated Strapdown Inertial Sensor Outputs	11-30

11.2.3.3	Reference Attitude, Velocity And Position	11-32
11.2.3.4	Strapdown Algorithm Error Evaluation	11-34
11.2.4	Gen Nav Simulator	11-35
11.2.4.1	Position And Velocity Parameters	11-36
11.2.4.1.1	Specified Latitude/Inertial-Longitude/Altitude And Their Derivatives	11-36
11.2.4.1.2	Inertial Position Range And Velocity Vectors	11-41
11.2.4.2	Position And Velocity Output Parameters	11-43
11.2.4.3	Simulated Strapdown Inertial Sensor Outputs	11-45
11.2.4.3.1	Simulated Strapdown Angular Rate Sensor Outputs	11-45
11.2.4.3.1.1	Attitude Matrix Initialization	11-46
11.2.4.3.2	Simulated Strapdown Accelerometer Outputs	11-46
11.2.4.3.2.1	Integrated I Frame Specific Force Acceleration Increments	11-46
11.2.4.3.2.2	Body Frame Integrated Specific Force Acceleration Increments	11-50
11.2.4.4	Roll, Pitch, Heading Attitude Outputs	11-53

## **Chapter 12 STRAPDOWN INERTIAL NAVIGATION ERROR EQUATIONS**

**12-1**

12.0	OVERVIEW	12-1
12.1	STRAPDOWN INERTIAL NAVIGATION EQUATIONS	12-1
12.1.1	Application Of The Linearization Process	12-9
12.1.2	Navigation Equations For N Frame Error Analysis	12-15
12.1.3	Navigation Equations For E Frame Error Analysis	12-18
12.1.4	Navigation Equations For I Frame Error Analysis	12-21
12.2	NAVIGATION ERROR PARAMETERS	12-27
12.2.1	Angular Error Parameters	12-27
12.2.2	Velocity Error Parameters	12-37

xx CONTENTS

12.2.3	Position Error Parameters	12-44
12.2.4	Gravity And Transport Rate Errors	12-52
12.2.5	Basic Navigation Error Parameter Selection	12-59
12.3	NAVIGATION ERROR PARAMETER DIFFERENTIAL EQUATIONS	12-61
12.3.1	Procedures For Developing Error Parameter Differential Equations	12-61
12.3.2	E Frame Defined Error Parameter Differential Equations	12-64
12.3.3	E Frame Defined Error Parameter Differential Equations Transformed To The N Frame	12-71
12.3.4	N Frame Defined Error Parameter Differential Equations	12-72
12.3.5	Mixed E And N Frame Defined Error Equation Set Written In The N Frame	12-78
12.3.6	Equivalencies Between E Frame And N Frame Defined Error Parameter Differential Equations	12-84
12.3.6.1	E Frame Defined Error Parameter Rate Equations From N Frame Defined Error Parameter Rate Equations	12-84
12.3.6.2	N Frame Defined Error Parameter Rate Equations From E Frame Defined Error Parameter Rate Equations	12-92
12.3.7	I Frame Defined Error Parameter Rate Equations	12-102
12.3.7.1	I Frame Defined Error Parameter Rate Equations In The I Frame	12-102
12.3.7.2	I Frame Defined Error Parameter Rate Equations In The N Frame	12-106
12.4	GENERAL STRAPDOWN INERTIAL SENSOR ERROR MODELS	12-107
12.5	ERROR EQUATION REVISIONS TO ENHANCE QUANTIZATION NOISE MODELING	12-112
12.5.1	Revised Error Rate Equations For E Frame Defined Error Parameters Projected Onto The N Frame	12-119
12.5.2	Revised Error Rate Equations For N Frame Defined Error Parameters Projected Onto The N Frame	12-120
12.5.3	Revised Error Rate Equations For Mixed E And N Frame Defined Error Parameters Projected Onto The N Frame	12-121

12.5.4	Revised Error Rate Equations For I Frame Defined Error Parameters Projected Onto The N Frame	12-123
12.5.5	Revised Error Rate Equations For I Frame Defined Error Parameters Projected Onto The I Frame	12-124
12.5.6	Inertial Sensor Error Rate Equations	12-124
12.6	VIBRATION MODELING	12-127

<b>References</b>	<b>A-1</b>
-------------------	------------

## **Indexes**

<b>Subject Index</b>	<b>B-1</b>
<b>Coordinate Frame Index</b>	<b>C-1</b>
<b>Parameter Index</b>	<b>D-1</b>

## **Part 2**

---

<b>Foreword</b>	<b>i</b>
-----------------	----------

<b>Contents For Parts 1 And 2</b>	<b>iii</b>
-----------------------------------	------------

<b>Chapter 13 ANALYTICAL SOLUTIONS TO THE STRAPDOWN NAVIGATION ERROR EQUATIONS</b>	<b>13-1</b>
--	-------------

13.0	OVERVIEW	13-1
13.1	USEFUL VECTOR RELATIONSHIPS	13-2
13.2	GENERAL NAVIGATION ERROR EQUATION CHARACTERISTICS	13-4
13.2.1	Vertical Channel Response	13-6
13.2.2	Horizontal Channel Response	13-12
13.2.3	Long Term Approximate Position Error Solution	13-18

**xxii** CONTENTS

- 13.2.4 Strapdown Inertial Sensor Scale-Factor/Misalignment  
Error Effects 13-19
- 13.3 NAVIGATION ERRORS FOR CONSTANT ATTITUDE AND CONSTANT  
SENSOR ERRORS 13-29
  - 13.3.1 Short Term Solution At Constant Attitude With Free Inertial  
Vertical Channel 13-35
  - 13.3.2 Up To Two Hour Horizontal Solution At Constant Attitude With  
Controlled Vertical Channel 13-39
- 13.4 NAVIGATION ERRORS FOR ROTATING ATTITUDE AND CONSTANT  
SENSOR ERRORS 13-46
  - 13.4.1 Constant High Rate Spinning About Non-Rotating Axis 13-47
    - 13.4.1.1 Angular Rate Vector Error Characteristics 13-47
    - 13.4.1.2 Attitude And Acceleration Transformation Error  
Characteristics 13-50
  - 13.4.2 High Rate Spinning About Rotating Axis 13-56
  - 13.4.3 Solution For Horizontal Circular Trajectory Profile For Up To Two  
Hours With Controlled Vertical Channel 13-67
  - 13.4.4 Solution For Horizontal Circular Trajectory Profile At Schuler  
Frequency With Controlled Vertical Channel 13-76
- 13.5 LONG TERM POSITION ERROR FOR CONSTANT ATTITUDE AND  
SENSOR ERRORS 13-79
- 13.6 NAVIGATION ERROR FROM SENSOR OUTPUT RANDOM NOISE  
DURING NAVIGATION 13-91
  - 13.6.1 Horizontal Solution To Random Noise For Up To Two Hours With  
Controlled Vertical Channel 13-91
  - 13.6.2 Short Term Solution With Free Inertial Vertical Channel 13-103

**Chapter 14 QUASI-STATIONARY INITIALIZATION ERROR EQUATIONS AND SOLUTIONS 14-1**

- 14.0 OVERVIEW 14-1
- 14.1 FINE ALIGNMENT ANALYTICAL PROCESS EQUATIONS 14-2
- 14.2 QUASI-STATIONARY INITIAL ALIGNMENT ERROR  
EQUATIONS 14-4

14.3	INITIAL ALIGNMENT ERRORS PRODUCED BY CONSTANT INERTIAL SENSOR ERRORS	14-16
14.4	INITIAL ALIGNMENT ERROR CAUSED BY RAMPING ACCELEROMETER ERROR	14-27
14.5	CORRELATION BETWEEN SENSOR ERRORS DURING INITIAL ALIGNMENT AND NAVIGATION	14-30
14.6	INITIAL ALIGNMENT ERROR CAUSED BY RANDOM SENSOR ERRORS AND DISTURBANCES	14-36
14.6.1	Analytical Problem Definition	14-37
14.6.2	Analytical Covariance Solution Attempts Under Combined Measurement And Process Noise	14-43
14.6.3	Covariance Solution Under Only Measurement Noise	14-51
14.6.4	Covariance Response With No Measurement Noise	14-55
14.6.4.1	Response To Accelerometer Quantization Noise	14-59
14.6.4.2	Response To Combined Angular Rate Sensor Quantization And Accelerometer Random Output Noise	14-62
14.6.4.3	Response To Angular Rate Sensor Random Output Noise	14-69
14.6.4.4	Summary Of Responses To Measurement And Process Noise	14-72
14.6.5	Combined Solution Versus The Sum Of Individual Solutions For Multiple Noise Sources	14-73
14.6.5.1	Response To Combined Angular Rate Sensor Random Output Noise, Quantization Noise And Accelerometer Random Output Noise	14-74
14.6.5.2	Comparison Between The Sum Of Individual Solutions And The Combined Solution For Multiple Noise Sources	14-79

## **Chapter 15 KALMAN FILTERING TECHNIQUES**

**15-1**

15.0	OVERVIEW	15-1
15.1	KALMAN FILTERING IN GENERAL	15-1
15.1.1	Discrete Form Of Error State Propagation Equations	15-5

xxiv CONTENTS

15.1.2	Kalman Filter Configuration	15-8
15.1.2.1	Kalman Gain Calculation	15-13
15.1.2.1.1	Covariance Matrix Calculation	15-21
15.1.2.1.1.1	Error State Transition Matrix Computation Algorithm	15-29
15.1.2.1.1.2	Integrated Process Noise Matrix Algorithm	15-31
15.1.2.1.1.3	Covariance And Estimated Error State Vector Propagation By Iterative Algorithm Processing Between Kalman Update Cycles	15-31
15.1.2.1.1.4	Covariance Matrix Numerical Conditioning Control	15-42
15.1.2.2	The Observation And The Measurement Equation	15-44
15.1.2.3	Control Vector Selection And Application	15-52
15.1.2.3.1	Navigation Error Reduction By External Correction	15-59
15.1.2.4	Timing And Synchronization Of The Observation/Measurement And Kalman Filter Cycle	15-60
15.1.3	Suboptimal Kalman Filters	15-64
15.1.4	Kalman Filter Software Validation	15-66
15.1.5	Supplementary Topics	15-68
15.1.5.1	The Matrix Inversion Lemma	15-68
15.1.5.2	Alternate Kalman Gain Expression	15-69
15.1.5.3	The Continuous Form Kalman Filter	15-70
15.1.5.3.1	Covariance Propagation/Reset Rate Equation	15-70
15.1.5.3.2	Error State Vector Propagation/Reset Rate Equation	15-76
15.1.5.4	General Solution To The Continuous Kalman Filter Covariance Equation	15-80
15.1.5.4.1	General Covariance Response With Zero Measurement Noise Under Particular Constraint Conditions	15-83



15.2	EXAMPLES OF KALMAN FILTERING APPLIED TO STRAPDOWN INERTIAL NAVIGATION	15-91
15.2.1	Kalman Filtering Applied To The Quasi-Stationary Fine Alignment Problem	15-91
15.2.1.1	Partitioned Version Of The Quasi-Stationary Fine Alignment Kalman Filter	15-101
15.2.1.2	Foreground And Kalman Filter Parameter Initialization	15-110
15.2.2	Kalman Filtering Applied To Dynamic Moving Base INS Initial Alignment	15-116
15.2.2.1	Moving Base Alignment Using An E Frame Observation	15-117
15.2.2.2	Moving Base Alignment Using An N Frame Observation	15-130
15.2.2.3	Velocity Versus Integrated Velocity Matching	15-134
15.2.3	INS Kalman Filter Aiding Using A Body Mounted Velocity Sensor	15-138
15.2.4	Kalman Filtering Applied To GPS - INS Position Aiding	15-139

**Chapter 16 COVARIANCE SIMULATION PROGRAMS** **16-1**

16.0	OVERVIEW	16-1
16.1	COVARIANCE SIMULATION ANALYTICAL DEFINITION	16-1
16.1.1	Formulation Based On Idealized Control Resets	16-1
16.1.1.1	Suboptimal Kalman Filter Performance Evaluation	16-9
16.1.1.2	Covariance Matrix Initialization	16-10
16.1.1.3	Optimal Kalman Filter Performance Evaluation	16-10
16.1.1.4	Simplified Covariance Analysis Equations	16-15
16.1.2	Formulation Based On Delayed Control Resets	16-17
16.1.2.1	Optimal Kalman Filter Performance Evaluation	16-21
16.1.2.2	Simplified Covariance Analysis Equations	16-24

16.2	SUBOPTIMAL COVARIANCE ANALYSIS SIMULATION PROGRAM CONFIGURATION	16-25
16.2.1	Basic Suboptimal Covariance Simulation Analysis Program Equations	16-26
16.2.2	Extended Covariance Propagation Cycle	16-28
16.2.3	Specifying Error Models	16-28
16.2.3.1	Process Noise Error Models	16-31
16.2.3.2	Acceleration Squared Error Effects Modeling	16-41
16.2.3.3	Gravity Error Modeling	16-48
16.2.4	Sensitivities And Error Budgets	16-50
16.2.5	Performance Evaluation Output Routines	16-57
16.2.6	General Covariance Simulation Program Structure	16-63
16.2.6.1	Basic Covariance Propagation/Reset Equations	16-63
16.2.6.2	Simplified Covariance Simulation Program Configurations	16-65
16.2.6.3	Error State Configuration	16-65
16.2.6.4	Estimation/Control Configuration	16-65
16.2.6.5	Covariance Propagation Timing Structure	16-66
16.2.6.6	Kalman Estimation Reset Timing Structure	16-66
16.2.6.7	Error Model Specification	16-67
16.2.6.8	Trajectory Generator Interface	16-67
16.2.6.9	Sensitivity And Error Budget Outputs	16-68
16.2.6.10	Output Routines	16-68
16.2.7	Covariance Simulation Program Use In Suboptimal Kalman Filter Design And/Or Performance Evaluation	16-69

## **Chapter 17 TRAJECTORY GENERATORS**

**17-1**

17.0	OVERVIEW	17-1
17.1	TRAJECTORY SHAPING FUNCTION	17-2
17.1.1	Segment Parameter Selection	17-4
17.1.1.1	Specified End-Of-Segment Attitude/Velocity	17-5

17.1.1.2	Specified $\mathcal{V}$ Frame Average Specific Force Acceleration	17-6
17.1.1.3	Rotation Vector Defined In The L Frame	17-13
17.1.1.4	Starting Heading And Segment Time To Reach A Specified Position Location	17-14
17.1.1.5	Turn To A Specified Heading	17-18
17.1.2	Quick-Look Projection	17-22
17.1.2.1	Projected Velocity, Attitude, Time, Angular Rate, And Specific Force Acceleration	17-23
17.1.2.2	End-Of-Segment Position Quick-Look Projection	17-24
17.1.2.3	Projected Aircraft Axis Attitude, Specific Force Acceleration And Angular Rate Under Angles Of Attack And Sideslip	17-28
17.1.2.3.1	Refinement To $C_{AC}^{\mathcal{V}}$ For Control Of AC Relative To $\mathcal{V}$ Frame Roll Euler Angle	17-48
17.1.2.3.2	Utilization Of Constraint Formulation To Calculate $C_{AC}^{\mathcal{V}}$ With Zero $\phi_{Ctrl}$	17-56
17.1.3	End-Of-Segment Data Generation	17-57
17.2	TRAJECTORY REGENERATION FUNCTION	17-60
17.2.1	Segment Junction Smoothing	17-61
17.2.2	Specifying B Frame Attitude	17-72
17.2.3	Trajectory Regeneration	17-76
17.2.3.1	Basic Trajectory Regeneration Operations	17-77
17.2.3.2	Variations From Basic Regenerated Trajectory Solution	17-85
17.2.3.2.1	Adding Wind Gust Aerodynamic Force Effects	17-95
17.2.3.2.2	Adding Sensor Assembly Lever Arm Displacement Effects	17-99
17.2.3.2.3	Adding High Frequency Effects	17-100
17.3	USING A TRAJECTORY GENERATOR IN AIDED STRAPDOWN INS SIMULATIONS	17-113
17.3.1	Simulating Strapdown INS Sensor Errors	17-115

17.3.2 GPS Receiver Simulation For Kalman Aided INS Application 17-117

**Chapter 18 STRAPDOWN INERTIAL SYSTEM TESTING 18-1**

18.0 OVERVIEW 18-1

18.1 SCHULER PUMP TEST 18-1

    18.1.1 Analytical Basis For The Schuler Pump Test 18-3

    18.1.2 Classic Schuler Pump Test Solutions 18-14

18.2 STRAPDOWN DRIFT TEST 18-22

    18.2.1 Strapdown Drift Test Based On Analytical Platform Rebalance Bias Measurement 18-23

    18.2.2 Strapdown Drift Test Based On INS Heading Measurements 18-34

    18.2.3 Calibration Coefficient Updating From Measured Angular Rate Sensor Bias Errors 18-42

18.3 SYSTEM LEVEL ANGULAR RATE SENSOR RANDOM NOISE ESTIMATION 18-42

    18.3.1 Repeated Alignment Test 18-55

        18.3.1.1 Repeated Alignment Test Using Kalman Earth Rate Estimates 18-55

        18.3.1.2 Repeated Alignment Test Using INS Computed True Heading 18-61

    18.3.2 Continuous Alignment Test 18-65

        18.3.2.1 Continuous Alignment Test Using Kalman Earth Rate Estimates 18-66

        18.3.2.2 Continuous Alignment Test Using INS Computed True Heading 18-75

18.4 STRAPDOWN ROTATION TEST 18-77

    18.4.1 Rotation Sequence Design/Selection 18-81

    18.4.2 Rotation Test Data Collection 18-85

    18.4.3 Measurements In Terms Of Sensor Errors 18-86

    18.4.4 Sensor Calibration Errors Computed From Measurements 18-100

    18.4.5 Sensor Assembly Misalignment Calibration Error Determination 18-103

- 18.4.6 Calibration Coefficient Updating From Measured Calibration Errors 18-105
- 18.4.7 Analytical Basis For The Strapdown Rotation Test 18-107
  - 18.4.7.1 Accelerometer Error Model For The Strapdown Rotation Test 18-110
  - 18.4.7.2 Attitude Error As Function Of Angular Rate Sensor Errors For The Strapdown Rotation Test 18-112
  - 18.4.7.3 Making The Strapdown Rotation Test Acceleration Measurement 18-117
    - 18.4.7.3.1 Alternative Strapdown Rotation Test Measurement Approach 18-124
  - 18.4.7.4 Sensor Assembly Misalignment Calibration Relative To Test Fixture Mount 18-125

## **Chapter 19 SUPPLEMENTAL TOPICS**

**19-1**

- 19.0 OVERVIEW 19-1
- 19.1 A UNIFIED MATHEMATICAL FRAMEWORK FOR STRAPDOWN ALGORITHM DESIGN 19-1
  - 19.1.1 Nomenclature For Section 19.1 19-2
    - 19.1.1.1 Symbology 19-2
    - 19.1.1.2 Coordinate Frames 19-2
    - 19.1.1.3 Parameters 19-2
  - 19.1.2 Introduction 19-6
  - 19.1.3 The Unified Mathematical Framework Based On Constant Angular-Rate/Specific-Force 19-8
  - 19.1.4 The Unified Mathematical Framework Based On General Motion 19-9
  - 19.1.5 Differential Equations For The Translation And Rotation Vectors 19-10
  - 19.1.6 Strapdown Algorithm Design Based On The Unified Mathematical Formulation 19-14
  - 19.1.7 Equivalent Differential Equations Based On Picard Series Expansion 19-15
  - 19.1.8 Potential Continuous Form High Speed Algorithms 19-18

xxx CONTENTS

19.1.9	Algorithm Accuracy Assessment	19-21
19.1.10	Continuous Form Algorithm Approximation Errors	19-23
19.1.10.1	Algorithm Errors Under Maneuvers	19-23
19.1.10.2	Algorithm Errors Under Vibration	19-25
19.1.11	Digital Algorithm Development	19-29
19.1.12	Simulation Testing For Equation Validation	19-32
19.1.13	Summary	19-32
19.1.14	Appendix To Section 19.1 - Equation Validation	19-33
19.1.14.1	Exact Solution Validation	19-33
19.1.14.2	Picard Solution Validation	19-35
19.1.14.3	Maneuver Induced Error Equation Validation	19-37
19.1.14.4	Vibration Induced Error Equation Validation	19-39
19.1.15	Acknowledgment	19-39
19.2	ANALYTICAL MODELING OF SENSOR QUANTIZATION IN STRAPDOWN INERTIAL NAVIGATION ERROR EQUATIONS	19-39
19.2.1	Nomenclature For Section 19.2	19-40
19.2.1.1	Symbology	19-40
19.2.1.2	Coordinate Frames	19-40
19.2.1.3	Parameters	19-40
19.2.2	Introduction	19-44
19.2.3	Sensor Quantization Error Model	19-45
19.2.4	Strapdown Sensor Generic Error Models	19-47
19.2.5	Strapdown Inertial Navigation Differential Equations	19-47
19.2.6	Strapdown Inertial Navigation Differential Error Propagation Equations	19-48
19.2.7	Error Equation Revisions To Enhance Quantization Noise Modeling	19-49
19.2.8	Equivalent Discrete Difference Error Equation Forms	19-51
19.2.9	Revisions To Differential Error Propagation Equations For Proper Quantization Noise Correlation Modeling	19-55
19.2.10	Setting Numerical Values For Quantization Noise Terms	19-56
19.2.11	Application To Two-Speed Computation Algorithms	19-58

PART 2 CONTENTS (PART 1 CONTENTS PROVIDED PREVIOUSLY) **xxxi**

19.2.12	Numerical Examples	19-59
19.2.13	Validity Limits For Quantization Error As Random Noise	19-62
19.2.14	Compensating For Sensor Pulse Quantization Error	19-63
19.2.15	Appendix To Section 19.2 - Accuracy Equivalency Between Two-Speed And Single-Speed Algorithms	19-63
19.3	WHAT DO INERTIAL SENSORS MEASURE?	19-66
19.3.1	Introduction	19-67
19.3.2	What Do Gyros Measure?	19-68
19.3.2.1	Angular Rotation	19-68
19.3.2.2	Angular Rotation Rate	19-69
19.3.2.3	Local Non-Rotating Inertial Space	19-70
19.3.2.4	General Non-Rotating Inertial Space	19-71
19.3.2.5	Angular Rate Sensing By Mechanical Gyros	19-72
19.3.2.6	Angular Rate Sensing By Optical Gyros	19-73
19.3.2.7	The Effect Of Gravity Gradient On Gyro Output	19-74
19.3.2.7.1	Gravity Field Shape	19-75
19.3.2.7.2	Spinning-Mass Gyros In A Spherical Gravity Field	19-75
19.3.2.7.3	MEMS Gyros In A Spherical Gravity Field	19-76
19.3.2.7.4	Optical Gyros In A Spherical Gravity Field	19-77
19.3.2.8	Universal Non-Rotating Inertial Space	19-77
19.3.2.9	Appendix To Section 19.3.2 - Relative Motion Between Two Moving Masses On A Translating/Rotating Base	19-77
19.3.3	What Do Accelerometers Measure?	19-79

<b>References</b>	<b>A-1</b>
-------------------	------------

**Indexes**

<b>Subject Index</b>	<b>B-1</b>
<b>Coordinate Frame Index</b>	<b>C-1</b>
<b>Parameter Index</b>	<b>D-1</b>